

***The S_{E1} factor of radiative α capture on ^{12}C
in cluster EFT***

Shung-Ichi Ando

Sunmoon University, Asan, Republic of Korea

arXiv:1806.09073[nucl-th]

- Introduction: $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$ process in the stars
- EFT for the $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$ process at low energies
- Numerical results
- Results and discussion

1. Introduction

- 90% of human body consists of ^{12}C and ^{16}O .
- ^{12}C and ^{16}O are synthesized during helium burning process in the stars.
- $^{12}\text{C}/^{16}\text{O}$ ratio in the universe is mostly determined by the $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$ process.
- Meanwhile about 20% uncertainty of S -factors of the $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$ process (NACRE-II) exists after more than a half century long intensive studies for the process.

The main goal is to determine S_{E1} -factor for the process with 5-10% theoretical uncertainty in the future studies.

$^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$ process

- Level diagram of ^{16}O

260

L.R. Buchmann, C.A. Barnes / Nuclear Physics A 777 (2006) 254–290




Fig. 1. ^{16}O states relevant to the $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$ reaction.

- Effective Field Theories (EFTs)
 - Model independent approach
 - Separation scale
 - Counting rules
 - Parameters should be fixed by experiments

2. $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$ in EFT

- Typical momentum of the process
at $T_G \simeq 0.3$ MeV; $Q \sim \sqrt{2\mu T_G} \sim 40$ MeV
The α and ^{12}C states; elementary-like states
- Separation (large) scale
Excited energies of α and ^{12}C ; large scale
The large momentum scale, $\Lambda_H \sim 150$ MeV
- Expansion parameter, $Q/\Lambda_H \sim 1/3$


- Effective Lagrangian

$$\begin{aligned}
 \mathcal{L} = & \phi_\alpha^\dagger \left(iD_0 + \frac{\vec{D}^2}{2m_\alpha} + \dots \right) \phi_\alpha + \phi_C^\dagger \left(iD_0 + \frac{\vec{D}^2}{2m_C} + \dots \right) \phi_C \\
 & + \sum_{n=0}^3 C_n^{(1)} d_i^\dagger \left[iD_0 + \frac{\vec{D}^2}{2(m_\alpha + m_C)} \right]^n d_i - y^{(1)} \left[d_i^\dagger (\phi_\alpha O_i^{(1)} \phi_C) + (\phi_\alpha O_i^{(1)} \phi_C)^\dagger d_i \right] \\
 & - y^{(0)} \left[\phi_O^\dagger (\phi_\alpha \phi_C) + (\phi_\alpha \phi_C)^\dagger \phi_O \right] - h^{(1)} \frac{y^{(0)} y^{(1)}}{\mu} \left[(O_i^{(1)} \phi_O)^\dagger d_i + \text{H.c.} \right] + \dots,
 \end{aligned}$$


with

$$O_l^{(1)} = i \left(\frac{\vec{D}_C}{m_C} - \frac{\overleftarrow{D}_\alpha}{m_\alpha} \right)_i, \quad O_i^{(1)} = \frac{iD_i}{m_O},$$


- Diagrams for dressed composite ^{16}O propagator



- Diagrams for elastic α - ^{12}C scattering



- Diagrams for $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$ process



- Radiative capture amplitude

$$A^{(l=1)} = \vec{\epsilon}_{(\gamma)}^* \cdot \hat{p} X^{(l=1)},$$

where

$$X^{(l=1)} = X_{(a+b)}^{(l=1)} + X_{(c)}^{(l=1)} + X_{(d+e)}^{(l=1)} + X_{(f)}^{(l=1)},$$

with

$$\begin{aligned} X_{(a+b)}^{(l=1)} &= 2y^{(0)} e^{i\sigma_1} \Gamma(1 + \kappa/\gamma_0) \\ &\times \int_0^\infty dr r W_{-\kappa/\gamma_0, \frac{1}{2}}(2\gamma_0 r) \left[\frac{Z_\alpha \mu}{m_\alpha} j_0 \left(\frac{\mu}{m_\alpha} k' r \right) - \frac{Z_C \mu}{m_C} j_0 \left(\frac{\mu}{m_C} k' r \right) \right] \\ &\times \left\{ \frac{\partial}{\partial r} \left[\frac{F_1(\eta, pr)}{pr} \right] + 2 \frac{F_1(\eta, pr)}{pr^2} \right\}, \\ X_{(c)}^{(l=1)} &= +y^{(0)} h^{(1)R} \frac{6\pi Z_O}{\mu m_O} \frac{e^{i\sigma_1} p \sqrt{1 + \eta^2} C_\eta}{K_1(p) - 2\kappa H_1(p)}, \end{aligned}$$

$$\begin{aligned}
X_{(d+e)}^{(l=1)} &= +i \frac{2}{3} y^{(0)} \frac{e^{i\sigma_1} p^2 \sqrt{1 + \eta^2} C_\eta}{K_1(p) - 2\kappa H_1(p)} \Gamma(1 + \kappa/\gamma_0) \Gamma(2 + i\eta) \\
&\times \int_{r_C}^{\infty} dr r W_{-\kappa/\gamma_0, \frac{1}{2}}(2\gamma_0 r) \left[\frac{Z_\alpha \mu}{m_\alpha} j_0 \left(\frac{\mu}{m_\alpha} k' r \right) - \frac{Z_C \mu}{m_C} j_0 \left(\frac{\mu}{m_C} k' r \right) \right] \\
&\times \left\{ \frac{\partial}{\partial r} \left[\frac{W_{-i\eta, \frac{3}{2}}(-2ipr)}{r} \right] + 2 \frac{W_{-i\eta, \frac{3}{2}}(-2ipr)}{r^2} \right\}, \\
X_{(f)}^{(l=1)} &= -3y^{(0)} \mu [-2\kappa H(\eta_{b0})] \left(\frac{Z_\alpha}{m_\alpha} - \frac{Z_C}{m_C} \right) \frac{e^{i\sigma_1} p \sqrt{1 + \eta^2} C_\eta}{K_1(p) - 2\kappa H_1(p)},
\end{aligned}$$

and

$$K_1(p) = -\frac{1}{a_1} + \frac{1}{2} r_1 p^2 - \frac{1}{4} P_1 p^4 + Q_1 p^6,$$

- S_{E1} factor

$$S_{E1}(E) = \sigma_{E1}(E) E e^{2\pi\eta},$$

where

$$\sigma_{E1}(E) = \frac{4}{3} \frac{\alpha_E \mu E'_\gamma}{p(1 + E'_\gamma/m_O)} |X^{(l=1)}|^2,$$

with $E'_\gamma \simeq B_0 + E - \frac{1}{2m_O}(B_0 + E)^2$.

- Renormalization of divergence from the loops
 - The loops of the diagrams (a) and (b) are finite.
 - The loops of the diagrams (d) and (e) lead to a log divergence in the r integral in $X_{(d+e)}^{(l=1)}$. We introduce a short range cutoff r_C , and the divergence is renormalized by $h^{(1)R}$ term of $X_{(c)}^{(l=1)}$.
 - The loop of the diagram (f) is diverge, and the divergence is renormalized by $h^{(1)R}$ term of $X_{(c)}^{(l=1)}$ too.

$$h^{(1)R} = h^{(1)} - \mu \frac{m_O}{Z_O} \left(\frac{Z_\alpha}{m_\alpha} - \frac{Z_C}{m_C} \right) \left[I_{(d+e)}^{div.} + J_0^{div.} \right],$$

$$I_{(d+e)}^{div.} = -\frac{\kappa\mu}{9\pi} \int_0^{r_C} \frac{dr}{r}, \quad J_0^{div.} = \frac{\kappa\mu}{2\pi} \left[\frac{1}{\epsilon} - 3C_E + 2 + \ln \left(\frac{\pi\mu_{DR}^2}{4\kappa^2} \right) \right].$$

- Modification of the counting rules
 - The p -wave dressed ^{16}O propagator is enhanced, and non-pole amplitude, $X_{(a+b)}^{(l=1)}$ turns out to be negligible
 - Approximately two structures (momentum dependence) are remained in the transition amplitude, while there are two unknown constants, $h^{(1)R}$ and $y^{(0)}$.
 - $h^{(1)R}$ and $y^{(0)}$ are fitted to the data

Numerical results


- Phase shift of the elastic α - ^{12}C scattering for $l = 1$

The effective range parameters are fitted to the phase shift data from the Tischhauser *et al.*'s paper, and we have

$$r_1 = 0.415255(9) \text{ fm}^{-1}, \quad P_1 = -0.57484(9) \text{ fm}, \\ Q_1 = 0.02016(2) \text{ fm}^3,$$

where the number of the data is $N = 273$ and $\chi^2 = 504$, and thus $\chi^2/N = 1.85$, and a_1 is obtained by using the binding energy of the 1_1^- state as

$$a_1 = -1.67 \times 10^5 \text{ fm}^3.$$




Numerical results: the S_{E1} factor

The two parameters are fitted to the S_{E1} data, and we have

$$h^{(1)R} = -736(27) \text{ MeV}^3, \quad y^{(0)} = 0.462(18) \text{ MeV}^{-1/2},$$

where $N = 151$ and $\chi^2 = 269$, and thus $\chi^2/N = 1.79$.



- S_{E1} -factor at E_G (Preliminary)

$$S_{E1} = 55 \text{ keV}\cdot\text{b} .$$

This result is smaller than the previous estimate reported recently: 86 ± 22 by Tang *et al.* (2010), 83.4 by Schurmann *et al.* (2012), 100 ± 22 by Oulebsir *et al.* (2012), 80 ± 18 by Xu *et al.* (2013), 98.0 ± 7.0 by An *et al.* (2015), 86.3 by dwBoer *et al.* (2017).

Results and discussion

- The EFT approach has been applied to the study of the S_{E1} factor of the $^{12}\text{C}(\alpha,\gamma)^{16}\text{O}$ process.
- Our result of S_{E1} at E_G is smaller than the previous estimates reported recently.
- We will estimate an error in the S_{E1} .
- Necessary to study higher order terms of the process, however it may not be easy to fix additional parameters due to the present quality of the data set of S_{E1} . It may be better studying the other quantities at low energies, the β delayed α emission spectrum of ^{16}N or the γ angular distribution of the radiative capture process.